

# Environmental Health

P E R S P E C T I V E S

Journal of the National Institute of  
Environmental Health Sciences

[ehponline.org](http://ehponline.org)

## Long Term Follow-Up of the Residents of the Three Mile Island Accident Area: 1979-1998

---

**Evelyn O. Talbott, Dr.P.H., Ada O. Youk, Ph.D., Kathleen P.  
McHugh-Pemu, M.P.H, Jeanne V. Zborowski, Ph.D.  
doi:10.1289/ehp.5662 (available at <http://dx.doi.org/>)  
Online 30 October 2002**



**The National Institute of Environmental Health Sciences  
National Institutes of Health**

# Long Term Follow-Up of the Residents of the Three Mile Island Accident Area: 1979-1998

## Article Headings

Abstract

Introduction

Methods

### Study Population

### Cohort Tracing

### Exposure Estimates

*Estimated radiation levels the day of the accident*

*Natural background radiation exposure prior to the TMI accident*

### Statistical Analyses

*Standard Mortality Rates*

*Relative Risk Regression*

Results

### General Mortality Patterns

### Mortality Trends by Time Period

### Mortality Patterns by Exposure Variables

NATURAL BACKGROUND RADIATION

MAXIMUM GAMMA

LIKELY GAMMA

### Relative Risk Regression

Discussion

References

## **Long Term Follow-Up of the Residents of the Three Mile Island Accident Area: 1979-1998**

by

Evelyn O. Talbott, Dr.P.H.<sup>1</sup>

Ada O. Youk, Ph.D.<sup>2</sup>

Kathleen P. McHugh-Pemu, M.P.H<sup>1</sup>

Jeanne V. Zborowski, Ph.D.<sup>1</sup>

1. Department of Epidemiology, Graduate School of Public Health, University of Pittsburgh, 130 DeSoto Street, Pittsburgh, PA 15261
2. Department of Biostatistics, Graduate School of Public Health, University of Pittsburgh, 130 DeSoto Street, Pittsburgh, PA 15261

Address Reprint Requests to:

Evelyn O. Talbott, DrPH,  
Department of Epidemiology,  
Graduate School of Public Health,  
University of Pittsburgh,  
507 Parran Hall,  
Pittsburgh, PA 15261.  
eot1@pitt.edu  
(412) 624-3074  
(412) 624-7397 FAX

Running Title: Long Term Follow-up of the Three Mile Island Area 1979-98

Keywords: dose-response relationship, epidemiology, ionizing radiation, mortality, neoplasms, and nuclear reactors.

#### Acknowledgments

This research was supported by a grant from the Three Mile Island Public Health Fund. The authors would like to acknowledge Dr. Niel Wald from the Department of Environmental and Occupational Health, University of Pittsburgh, Graduate School of Public Health for his guidance in the preparation of this manuscript. We wish to acknowledge Judy Rager, M.P.H. for her technical assistance and Donna Gibbons for assistance in manuscript preparation.

## **Abstract**

The Three-Mile Island (TMI) nuclear power plant accident (1979) prompted the Pennsylvania Department of Health to initiate a cohort mortality study in the Three Mile Island accident area. This study is of significance because of the long follow-up (1979-1998), large cohort size (32,135) and evidence from earlier reports indicating increased cancer risks. Standardized mortality ratios (SMRs) were calculated to assess the mortality experience of the cohort in comparison to a local population. Relative risk (RR) regression modeling was performed to assess cause-specific mortality associated with radiation-related exposure variables after adjustment for individual smoking and lifestyle factors.

Overall cancer mortality in this cohort was similar to the local population (SMRs = 103.7 (male); 99.8 (female)). Relative risk modeling showed neither maximum gamma nor likely gamma exposure was a significant predictor of MN (all malignant neoplasms), BTL (bronchus, trachea and lung), or heart disease mortality after adjusting for known confounders. The relative risk estimates for maximum gamma exposure in relation to LHT (all lymphatic and hematopoietic tissue) are significantly elevated (RR=1.00, 1.16, 2.54, 2.45) for males and are suggestive of a potential dose-response relationship, although the test for trend was not significant. An upward trend of RRs and SMRs for levels of maximum gamma exposure in relation to breast cancer in females (RR=1.00, 1.08, 1.13, 1.31; SMRs=104.2, 113.2, 117.9) was also noted. Although the surveillance within the TMI cohort provides no consistent evidence that radioactivity released during the nuclear accident has had a significant impact on the overall mortality experience of these residents, several elevations persist and certain potential dose-response relationships cannot be definitively excluded.